

## Coversheet for Overseas SDS

**PLEASE ATTACH THIS COMPLETED SHEET TO THE SDS FOR:**

**PRODUCT:**

DAZZ All Purpose Cleaner

**SDS DATE:**

17 August 2021


**Supplier:**

Dazz NZ Limited  
 3/11 Ashley Place  
 Papamoa, New Zealand 3118  
 022 646 5561  
 sales@dazz.co.nz  
 www.dazz.co.nz

**Emergency Contacts:**

|                            |                                     |
|----------------------------|-------------------------------------|
| National Poison Centre:    | 0800 764 766 ( <b>0800 POISON</b> ) |
| Emergency Services         | Dial 111                            |
| (Fire, Ambulance, Police): |                                     |

**Hazard Identification & Regulatory Requirements:**

|   |   |
|---|---|
| <b>Product Name:</b>  | <b>DAZZ All Purpose Cleaner</b>   |
| <b>HNSO Approval Number / HSNO Group Standard:</b>  | Cleaning Products (Subsidiary Hazard) Group Standard 2020 - HSR002530   |
| <b>GHS7 Hazard Classifications:</b>   | skin irritation Category 2<br>skin sensitisation Category 1<br>serious eye damage Category 1<br>specific target organ toxicity—single exposure Category 3   |
| <b>Hazard Precautions and Statements including Class 9 statements where applicable:</b><br><br><div style="text-align: center;">  </div> | <p><b>DANGER</b></p> <p>Causes skin irritation.<br/>                 May cause an allergic skin reaction.<br/>                 Causes serious eye damage.<br/>                 May cause respiratory irritation.</p> <p>Wash hands and any exposed skin thoroughly after handling.<br/>                 Avoid breathing dust.<br/>                 Use only outdoors or in a well-ventilated area.<br/>                 Contaminated work clothing should not be allowed out of the workplace.<br/>                 Wear protective gloves, clothing and eye / face protection.</p> |

## SECTION 1: IDENTIFICATION

### 1.1. Product Identifier

**Product Form:** Mixture

**Product Name:** DAZZ All Purpose Cleaner

### 1.2. Intended Use of the Product

**Use of the Substance/Mixture:** Surface cleaner

### 1.3. Name, Address, and Telephone of the Responsible Party

#### Company

SunState Laboratories  
6901 W 117th Ave STE 14  
Broomfield, CO 80021  
720-524-8477

[dazzcleaner.com](http://dazzcleaner.com)

### 1.4. Emergency Telephone Number

**Emergency Number** : 720-524-8477

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the Substance or Mixture

|                   |      |
|-------------------|------|
| Skin Irrit. 2     | H315 |
| Eye Dam. 1        | H318 |
| Skin Sens. 1      | H317 |
| STOT SE 3         | H335 |
| Aquatic Acute 3   | H402 |
| Aquatic Chronic 3 | H412 |
| Comb. Dust        |      |

Full text of hazard classes and H-statements : see section 16

### 2.2. Label Elements

#### GHS-US Labeling

#### Hazard Pictograms (GHS-US)



#### Signal Word (GHS-US)

: Danger

#### Hazard Statements (GHS-US)

: May form combustible dust concentrations in air.  
H315 - Causes skin irritation.  
H317 - May cause an allergic skin reaction.  
H318 - Causes serious eye damage.  
H335 - May cause respiratory irritation.  
H402 - Harmful to aquatic life.  
H412 - Harmful to aquatic life with long lasting effects.

#### Precautionary Statements (GHS-US)

: P261 - Avoid breathing dust.  
P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.  
P271 - Use only outdoors or in a well-ventilated area.  
P272 - Contaminated work clothing must not be allowed out of the workplace.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves, protective clothing, and eye protection.  
P302+P352 - If on skin: Wash with plenty of water.  
P304+P340 - If inhaled: Remove person to fresh air and keep at rest in a position comfortable for breathing.  
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a poison center or doctor.  
P321 - Specific treatment (see section 4 on this SDS).  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

# DAZZ All Purpose Cleaner

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

### Supplemental Information

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Proper grounding procedures to avoid static electricity should be followed. Prevent dust accumulation (to minimize explosion hazard). Avoid generating dust.

### 2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

### 2.4. Unknown Acute Toxicity (GHS-US)

No data available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substance

Not applicable

### 3.2. Mixture

| Name                               | Synonyms                                  | Product Identifier  | %       | GHS US classification   |
|------------------------------------|---|---------------------|---------|---|
| Citric acid                        | 2-Hydroxypropane-1,2,3-tricarboxylic acid | (CAS-No.) 77-92-9   | 10 - 30 | Eye Irrit. 2A, H319<br>Comb. Dust   |
| Sodium bicarbonate                 | Baking soda                               | (CAS-No.) 144-55-8  | 10 - 30 | Not classified  |
| Sodium lauryl sulfate (Surfactant) | Dodecyl sodium sulfate                    | (CAS-No.) 151-21-3  | 10 - 30 | Flam. Sol. 2, H228<br>Acute Tox. 4 (Oral), H302<br>Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>STOT SE 3, H335<br>Aquatic Acute 2, H401<br>Aquatic Chronic 3, H412<br>Comb. Dust |
| Disodium carbonate                 | Soda ash                                  | (CAS-No.) 497-19-8  | 10 - 30 | Eye Irrit. 2A, H319   |
| Oils, lemon                        | CITRUS MEDICA LIMONUM OIL                 | (CAS-No.) 8008-56-8 | < 1     | Flam. Liq. 3, H226<br>Skin Irrit. 2, H315<br>Skin Sens. 1, H317<br>Asp. Tox. 1, H304<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410  |
| Ethyl butyrate                     | Butanoic acid, ethyl ester                | (CAS-No.) 105-54-4  | < 1     | Flam. Liq. 3, H226<br>Eye Irrit. 2A, H319   |
| Ethyl caprylate                    | Octanoic acid, ethyl ester                | (CAS-No.) 106-32-1  | < 1     | Flam. Liq. 4, H227  |
| Citral                             | 3,7-Dimethyl-2,6-octadienal               | (CAS-No.) 5392-40-5 | ≤ 0.1   | Flam. Liq. 4, H227<br>Skin Irrit. 2, H315<br>Eye Irrit. 2A, H319<br>Skin Sens. 1B, H317<br>Aquatic Acute 2, H401  |

Full text of H-phrases: see section 16

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200].

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First-aid Measures

**First-aid Measures General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**First-aid Measures After Inhalation:** Using proper respiratory protection, move the exposed person to fresh air at once. Encourage exposed person to cough, spit out, and blow nose to remove dust. Immediately call a poison center, physician, or emergency medical service.

**First-aid Measures After Skin Contact:** Remove contaminated clothing. Immediately drench affected area with water for at least 15 minutes. Obtain medical attention if irritation/rash develops or persists.

# DAZZ All Purpose Cleaner

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**First-aid Measures After Eye Contact:** Immediately rinse with water for at least 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

**First-aid Measures After Ingestion:** Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

**Symptoms/Injuries:** May cause respiratory irritation. Skin sensitization. Causes skin irritation. Causes serious eye damage.

**Symptoms/Injuries After Inhalation:** Irritation of the respiratory tract and the other mucous membranes. Dust may be harmful or cause irritation.

**Symptoms/Injuries After Skin Contact:** May cause an allergic skin reaction. Redness, pain, swelling, itching, burning, dryness, and dermatitis.

**Symptoms/Injuries After Eye Contact:** Causes permanent damage to the cornea, iris, or conjunctiva.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** May cause an allergic skin reaction.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Water spray, fog, carbon dioxide (CO<sub>2</sub>), alcohol-resistant foam, or dry chemical. Use extinguishing media appropriate for surrounding fire.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Combustible Dust.

**Explosion Hazard:** Dust explosion hazard in air.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Carbon oxides (CO, CO<sub>2</sub>). Sulfur oxides.

**Other Information:** Do not allow run-off from fire fighting to enter drains or water courses. Risk of dust explosion.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Avoid generating dust. Remove ignition sources. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.

#### 6.1.1. For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protective equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

### 6.3. Methods and Materials for Containment and Cleaning Up

**For Containment:** Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams. Avoid generation of dust during clean-up of spills.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill. Use explosion proof vacuum during cleanup, with appropriate filter. Do not mix with other materials. Vacuum clean-up is preferred. If sweeping is required use a dust suppressant. Use only non-sparking tools.

### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Additional Hazards When Processed:** Accumulation and dispersion of dust with an ignition source can cause a combustible dust explosion. Keep dust levels to a minimum and follow applicable regulations.

# DAZZ All Purpose Cleaner

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Precautions for Safe Handling:** Avoid creating or spreading dust. Avoid breathing dust. Do not get in eyes, on skin, or on clothing. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Keep away from heat, sparks, open flames, and hot surfaces. No smoking.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations. Avoid creating or spreading dust. Use explosion-proof electrical, ventilating, lighting equipment. Proper grounding procedures to avoid static electricity should be followed.

**Storage Conditions:** Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked up/in a secure area.

**Incompatible Materials:** Strong acids, strong bases, strong oxidizers.

### 7.3. Specific End Use(s)

Surface cleaner

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

| Citral (5392-40-5) |                         |   |
|--------------------|-------------------------|---|
| USA ACGIH          | ACGIH OEL TWA [ppm]     | 5 ppm (inhalable fraction and vapor)  |
| USA ACGIH          | ACGIH chemical category | Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer |


### 8.2. Exposure Controls

#### Appropriate Engineering Controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment. Use local exhaust or general dilution ventilation or other suppression methods to maintain dust levels below exposure limits. Power equipment should be equipped with proper dust collection devices. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen-deficient environment.

#### Personal Protective Equipment

: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



#### Materials for Protective Clothing

: Chemically resistant materials and fabrics.

#### Hand Protection

: Wear protective gloves.

#### Eye and Face Protection

: Chemical safety goggles.

#### Skin and Body Protection

: Wear suitable protective clothing.

#### Respiratory Protection

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

#### Other Information

: When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

|                |                                |
|----------------|--------------------------------|
| Physical State | : Solid                        |
| Appearance     | : Tablet – light green colored |
| Odor           | : Lemon Guava                  |
| Odor Threshold | : No data available            |
| pH             | : No data available            |

# DAZZ All Purpose Cleaner

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|  |                     |
|--|---------------------|
| Evaporation Rate                       | : No data available |
| Melting Point                          | : No data available |
| Freezing Point                         | : No data available |
| Boiling Point                          | : No data available |
| Flash Point                            | : No data available |
| Auto-ignition Temperature              | : No data available |
| Decomposition Temperature              | : No data available |
| Flammability (solid, gas)              | : No data available |
| Vapor Pressure                         | : No data available |
| Relative Vapor Density at 20°C         | : No data available |
| Relative Density                       | : No data available |
| Solubility                             | : Water: Soluble    |
| Partition Coefficient: N-Octanol/Water | : No data available |
| Viscosity                              | : No data available |

9.2. Other Information No additional information available

## SECTION 10: STABILITY AND REACTIVITY

- 10.1. **Reactivity:** Hazardous reactions will not occur under normal conditions.
- 10.2. **Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).
- 10.3. **Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4. **Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition. Dust accumulation (to minimize explosion hazard).
- 10.5. **Incompatible Materials:** Strong acids, strong bases, strong oxidizers.
- 10.6. **Hazardous Decomposition Products:** Thermal decomposition may produce: Carbon oxides (CO, CO<sub>2</sub>). Sulfur oxides.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on Toxicological Effects

Acute Toxicity (Oral): Not classified

Acute Toxicity (Dermal): Not classified

Acute Toxicity (Inhalation): Not classified

|   |   |
|---|---|
| <b>Citric acid (77-92-9)</b>            |   |
| LD50 Oral Rat                           | 5400 mg/kg                                    |
| LD50 Dermal Rat                         | > 2000 mg/kg                                  |
| <b>Sodium bicarbonate (144-55-8)</b>    |   |
| LD50 Oral Rat                           | 4220 mg/kg                                    |
| <b>Sodium lauryl sulfate (151-21-3)</b> |   |
| LD50 Oral Rat                           | 1288 mg/kg                                    |
| LD50 Dermal Rat                         | > 2000 mg/kg                                  |
| LC50 Inhalation Rat                     | > 3900 mg/m <sup>3</sup> (Exposure time: 1 h) |
| <b>Ethyl butyrate (105-54-4)</b>        |   |
| LD50 Oral Rat                           | 13000 mg/kg                                   |
| LD50 Dermal Rat                         | > 2000 mg/kg                                  |
| <b>Ethyl caprylate (106-32-1)</b>       |   |
| LD50 Oral Rat                           | 25960 mg/kg                                   |
| <b>Oils, lemon (8008-56-8)</b>          |   |
| LD50 Oral Rat                           | 2840 mg/kg                                    |
| <b>Citral (5392-40-5)</b>               |   |
| LD50 Oral Rat                           | 4960 mg/kg                                    |
| LD50 Dermal Rabbit                      | 2250 mg/kg                                    |
| <b>Disodium carbonate (497-19-8)</b>    |   |
| LD50 Oral Rat                           | 2800 mg/kg                                    |
| LD50 Dermal Rabbit                      | > 2000 mg/kg (No deaths)                      |
| LC50 Inhalation Rat                     | 2300 mg/m <sup>3</sup> (Exposure time: 2 h)   |

**Skin Corrosion/Irritation:** Causes skin irritation.

# DAZZ All Purpose Cleaner

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Serious Eye Damage/Irritation:** Causes serious eye damage.

**Respiratory or Skin Sensitization:** May cause an allergic skin reaction.

**Germ Cell Mutagenicity:** Not classified

**Carcinogenicity:** Not classified

**Reproductive Toxicity:** Not classified

**Specific Target Organ Toxicity (Single Exposure):** May cause respiratory irritation.

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** Irritation of the respiratory tract and the other mucous membranes. Dust may be harmful or cause irritation.

**Symptoms/Injuries After Skin Contact:** May cause an allergic skin reaction. Redness, pain, swelling, itching, burning, dryness, and dermatitis.

**Symptoms/Injuries After Eye Contact:** Causes permanent damage to the cornea, iris, or conjunctiva.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** May cause an allergic skin reaction.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecology - General** : Harmful to aquatic life with long lasting effects.

| Citric acid (77-92-9)            |   |
|----------------------------------|---|
| LC50 Fish 1                      | 1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)                    |
| Sodium bicarbonate (144-55-8)    |   |
| LC50 Fish 1                      | 8250 – 9000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])    |
| EC50 - Crustacea [1]             | 2350 mg/l (Exposure time: 48 h - Species: Daphnia magna)                          |
| Sodium lauryl sulfate (151-21-3) |   |
| LC50 Fish 1                      | 8 (8 – 12.5) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])   |
| EC50 - Crustacea [1]             | 1.8 mg/l (Exposure time: 48 h - Species: Daphnia magna)                           |
| LC50 Fish 2                      | 15 (15 – 18.9) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) |
| NOEC Chronic Crustacea           | 0.88 mg/l   |
| Ethyl butyrate (105-54-4)        |   |
| EC50 - Crustacea [1]             | 750 mg/l  |
| Citral (5392-40-5)               |   |
| LC50 Fish 1                      | 4.1 mg/l  |
| EC50 - Crustacea [1]             | 7 mg/l (Exposure time: 48 h - Species: Daphnia magna)                             |
| Disodium carbonate (497-19-8)    |   |
| LC50 Fish 1                      | 300 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])            |
| EC50 - Crustacea [1]             | 265 mg/l (Exposure time: 48 h - Species: Daphnia magna)                           |
| LC50 Fish 2                      | 310 – 1220 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])     |

### 12.2. Persistence and Degradability

| DAZZ All Purpose Cleaner      |   |
|-------------------------------|---|
| Persistence and Degradability | May cause long-term adverse effects in the environment. |
| Citric acid (77-92-9)         |   |
| Persistence and Degradability | Readily biodegradable in water.                         |

### 12.3. Bioaccumulative Potential

| DAZZ All Purpose Cleaner                        |                           |
|---|---------------------------|
| Bioaccumulative Potential                       | Not established.          |
| Citric acid (77-92-9)                           |                           |
| Partition coefficient n-octanol/water (Log Pow) | -1.72 (at 20 °C)          |
| Sodium lauryl sulfate (151-21-3)                |                           |
| BCF Fish 1                                      | (will not bioconcentrate) |
| Partition coefficient n-octanol/water (Log Pow) | 1.6                       |
| Citral (5392-40-5)                              |                           |

# DAZZ All Purpose Cleaner

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|   |                      |
|---|----------------------|
| Partition coefficient n-octanol/water (Log Pow) | 2.76 (at 25 °C)      |
| <b>Disodium carbonate (497-19-8)</b>            |                      |
| BCF Fish 1                                      | (no bioaccumulation) |

**12.4. Mobility in Soil** No additional information available

**12.5. Other Adverse Effects**

**Other Information** : Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

**13.1. Waste Treatment Methods**

**Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, and international regulations.

**Additional Information:** Container may remain hazardous when empty. Continue to observe all precautions.

**Ecology - Waste Materials:** Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

## SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

**14.1. In Accordance with DOT** Not regulated for transport

**14.2. In Accordance with IMDG** Not regulated for transport

**14.3. In Accordance with IATA** Not regulated for transport

## SECTION 15: REGULATORY INFORMATION

**15.1. US Federal Regulations**

|   |   |
|---|---|
| <b>DAZZ All Purpose Cleaner</b>   |   |
| <b>SARA Section 311/312 Hazard Classes</b>                                | Health hazard - Specific target organ toxicity (single or repeated exposure)<br>Health hazard - Respiratory or skin sensitization<br>Health hazard - Skin corrosion or Irritation<br>Health hazard - Serious eye damage or eye irritation<br>Physical hazard - Combustible dust |
| <b>Citric acid (77-92-9)</b>  |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |   |
| <b>Sodium bicarbonate (144-55-8)</b>                                      |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |   |
| <b>Sodium lauryl sulfate (151-21-3)</b>                                   |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |   |
| <b>Ethyl butyrate (105-54-4)</b>  |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |   |
| <b>Ethyl caprylate (106-32-1)</b>   |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |   |
| <b>Oils, lemon (8008-56-8)</b>  |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |   |
| <b>Citral (5392-40-5)</b>   |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |   |
| <b>Disodium carbonate (497-19-8)</b>                                      |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |   |

**15.2. US State Regulations**

|   |
|---|
| <b>Ethyl butyrate (105-54-4)</b>  |
| U.S. - New Jersey - Right to Know Hazardous Substance List<br>U.S. - Pennsylvania - RTK (Right to Know) List<br>U.S. - Massachusetts - Right To Know List |
| <b>Ethyl caprylate (106-32-1)</b>   |
| U.S. - Pennsylvania - RTK (Right to Know) List  |



# DAZZ All Purpose Cleaner

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S. - Massachusetts - Right To Know List

### SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Date of Preparation or Latest Revision** : 08/17/2021  
**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200  
The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200].

#### GHS Full Text Phrases:

|                     |  |
|---------------------|--|
| Acute Tox. 4 (Oral) | Acute toxicity (oral) Category 4   |
| Aquatic Acute 1     | Hazardous to the aquatic environment - Acute Hazard Category 1                             |
| Aquatic Acute 2     | Hazardous to the aquatic environment - Acute Hazard Category 2                             |
| Aquatic Acute 3     | Hazardous to the aquatic environment - Acute Hazard Category 3                             |
| Aquatic Chronic 1   | Hazardous to the aquatic environment - Chronic Hazard Category 1                           |
| Aquatic Chronic 2   | Hazardous to the aquatic environment - Chronic Hazard Category 2                           |
| Aquatic Chronic 3   | Hazardous to the aquatic environment - Chronic Hazard Category 3                           |
| Asp. Tox. 1         | Aspiration hazard Category 1   |
| Comb. Dust          | Combustible Dust   |
| Eye Dam. 1          | Serious eye damage/eye irritation Category 1   |
| Eye Irrit. 2A       | Serious eye damage/eye irritation Category 2A  |
| Flam. Liq. 3        | Flammable liquids Category 3   |
| Flam. Liq. 4        | Flammable liquids Category 4   |
| Flam. Sol. 2        | Flammable solids Category 2  |
| Skin Irrit. 2       | Skin corrosion/irritation Category 2   |
| Skin Sens. 1        | Skin sensitization, Category 1   |
| Skin Sens. 1B       | Skin sensitization, category 1B  |
| STOT SE 3           | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| H226                | Flammable liquid and vapor   |
| H227                | Combustible liquid   |
| H228                | Flammable solid  |
| H302                | Harmful if swallowed   |
| H304                | May be fatal if swallowed and enters airways   |
| H315                | Causes skin irritation   |
| H317                | May cause an allergic skin reaction  |
| H318                | Causes serious eye damage  |
| H319                | Causes serious eye irritation  |
| H335                | May cause respiratory irritation   |
| H400                | Very toxic to aquatic life   |
| H401                | Toxic to aquatic life  |
| H402                | Harmful to aquatic life  |
| H410                | Very toxic to aquatic life with long lasting effects                                       |
| H411                | Toxic to aquatic life with long lasting effects  |
| H412                | Harmful to aquatic life with long lasting effects  |

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

SDS US (GHS HazCom)