

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : Dr. Beckmann COLOUR & FIBER REFRESH
UFI : JKR4-708E-E00S-X9A8
Formulation-No. : 017-19

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Use of the substance/mixture : Laundry care

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

delta pronatura - Dr. Krauss & Dr. Beckmann KG
Kurt-Schumacher-Ring 15-17
63329 Egelsbach - Germany
T int+49-(0)6103-4045-0 - F int+49-(0)6103-4045-190

Email competent person

sds@kft.de

Distributor

Tollesbury Enterprises (1993) Ltd
20a Peters Way
Silverdale, Auckland 0932, New Zealand
+64 9 421 0190

1.4. Emergency telephone number

Emergency number : National Poisons Centre New Zealand – 0800 764 766

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements (CLP) : P102 - Keep out of reach of children.
EUH-statements : EUH208 - Contains cellulase. May produce an allergic reaction.
Extra phrases : INCI Name.
CELLULASE.
Child-resistant fastening : Not applicable
Tactile warning : Not applicable

2.3. Other hazards

No additional information available

Dr. Beckmann COLOUR & FIBER REFRESH

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : Treated fleece

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sodium carbonate	(CAS-No.) 497-19-8 (EC-No.) 207-838-8 (EC Index-No.) 011-005-00-2 (REACH-no) 01-2119485498-19-xxxx	≥ 5 – < 10	Eye Irrit. 2, H319

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: In all cases of doubt, or when symptoms persist, seek medical attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Ingestion unlikely. Rinse mouth out with water. Spit. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause allergy or asthma symptoms or breathing difficulties if inhaled.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire. Water spray. Dry powder. Foam.
Unsuitable extinguishing media	: Strong water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon dioxide. Carbon monoxide. Nitrogen oxides.

5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	: Do not allow run-off from fire fighting to enter drains or water courses. Disposal must be done according to official regulations.

Dr. Beckmann COLOUR & FIBER REFRESH

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid sub-soil penetration. Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal.

Other information : Disposal must be done according to official regulations.

6.4. Reference to other sections

Information for safe handling. See section 7. Concerning personal protective equipment to use, see section 8. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Information about storage in one common storage facility : Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

sodium carbonate (497-19-8)

DNEL/DMEL (Workers)

Long-term - local effects, inhalation	10 mg/m ³
---------------------------------------	----------------------

DNEL/DMEL (General population)

Acute - local effects, inhalation	10 mg/m ³
-----------------------------------	----------------------

cellulase (9012-54-8)

DNEL/DMEL (Workers)

Long-term - local effects, inhalation	60 ng/m ³ DMEL
---------------------------------------	---------------------------

DNEL/DMEL (General population)

Long-term - local effects, inhalation	15 ng/m ³ DMEL
---------------------------------------	---------------------------

Dr. Beckmann COLOUR & FIBER REFRESH

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

PNEC (Water)	
PNEC aqua (freshwater)	23.7 µg/L
PNEC aqua (marine water)	2.37 µg/L
PNEC aqua (intermittent, freshwater)	237 µg/L
PNEC (Soil)	
PNEC soil	3.76 µg/kg
PNEC (STP)	
PNEC sewage treatment plant	65000 µg/L

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

In case of repeated or prolonged contact wear gloves. EN 374. Butyl rubber. Chloroprene rubber. Fluoroelastomer (FKM). Nitrile rubber. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Gloves must be replaced after each use and whenever signs of wear or perforation appear

Eye protection:

In case of dust production: protective goggles. EN 166

Skin and body protection:

Wear suitable protective clothing. EN 340

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. EN 143. Short term exposure. Dust formation: dust mask. Filter: A-P3. Breathing equipment is only to be used in order to handle the residual risk of short term jobs if all other risk minimizing measures have been carried out e.g. retention and/or local exhaust

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes. Always wash hands after handling the product. The above mentioned instructions regarding the protective equipment refer to the industrial use of larger quantities.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Treated fleece.
Colour	: Black.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: Not applicable
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not self-igniting

Dr. Beckmann COLOUR & FIBER REFRESH

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: Not applicable
Relative vapour density at 20 °C	: Not applicable
Relative density	: No data available
Solubility	: Water: Partially soluble
Partition coefficient n-octanol/water (Log Pow)	: Not applicable
Viscosity, kinematic	: No data available
Viscosity, dynamic	: Not applicable
Explosive properties	: Product is not explosive.
Oxidising properties	: Non oxidizing.
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Additional information	: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Not relevant)

Dr. Beckmann COLOUR & FIBER REFRESH

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met)

12.2. Persistence and degradability

Dr. Beckmann COLOUR & FIBER REFRESH

Persistence and degradability	The product has not been tested.
-------------------------------	----------------------------------

sodium carbonate (497-19-8)

Persistence and degradability	Not applicable for inorganic substances.
-------------------------------	--

12.3. Bioaccumulative potential

Dr. Beckmann COLOUR & FIBER REFRESH

Partition coefficient n-octanol/water (Log Pow)	Not applicable
---	----------------

Bioaccumulative potential	The product has not been tested.
---------------------------	----------------------------------

sodium carbonate (497-19-8)

Bioaccumulative potential	Not applicable for inorganic substances.
---------------------------	--

12.4. Mobility in soil

Dr. Beckmann COLOUR & FIBER REFRESH

Ecology - soil	The product has not been tested.
----------------	----------------------------------

sodium carbonate (497-19-8)

Ecology - soil	Expected to be highly mobile in soil.
----------------	---------------------------------------

12.5. Results of PBT and vPvB assessment

Component

sodium carbonate (497-19-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
-----------------------------	---

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Disposal must be done according to official regulations. European waste catalogue. Do not dispose of with domestic waste. Do not discharge into drains or the environment.

Product/Packaging disposal recommendations : Recycle or dispose of in compliance with current legislation.

European List of Waste (LoW) code : 07 06 99 - wastes not otherwise specified
20 01 30 - detergents other than those mentioned in 20 01 29

Dr. Beckmann COLOUR & FIBER REFRESH

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

Reference code	Applicable on
43.	Dr. Beckmann COLOUR & FIBER REFRESH

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Dr. Beckmann COLOUR & FIBER REFRESH

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 16: Other information

Indication of changes:			
Section	Changed item	Change	Comments
1.1	UFI	Added	

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TLM	Median Tolerance Limit
vPvB	Very Persistent and Very Bioaccumulative

Data sources : ECHA (European Chemicals Agency). MSDSs of the suppliers. Information provided by the manufacturer.
Department issuing data : KFT Chemieservice GmbH
specification sheet: Im Leuschnerpark. 3 64347 Griesheim
Germany

Phone: +49 6155-8981-400 Fax: +49 6155 8981-500
Safety Data Sheet Service: +49 6155 8981-522

Contact person : Dr. Dina Shaydulina

Full text of H- and EUH-statements:	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2

Dr. Beckmann COLOUR & FIBER REFRESH

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

H319	Causes serious eye irritation.
EUH208	Contains cellulase. May produce an allergic reaction.

KFT SDS EU 02

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.