



# SAFETY DATA SHEET

According to  
HSNO Hazardous Substances (Safety Data Sheets) Notice 2017

## Section 1: Identification of the Substance/Mixture and of the Supplier

Product: **Multi Clean**  
Product Use: General Purpose Cleaner/Degreaser/ C31 Cleaner  
Restriction of Use: Refer to Section 15

Company Details: **Marketing Chemicals Ltd**  
Address: 2 Rymer Place, Mangere Bridge  
Auckland, New Zealand

Telephone: +64 9 634 3862 [8.00 am to 4.30pm – Monday to Friday]  
Fax: +64 9 634 3864

Emergency No: **+64 274 736008(24 hours)**  
**0800 764 766 (National Poison Centre)**

Date of SDS Preparation: 29 August 2023 v2

## Section 2: Hazard Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No: **Cleaning Products (Corrosive) – HSR002526**

### Pictograms:



Signal Word: **DANGER**

GHS Classification and Category	Hazard Code	Hazard Statement
Skin corrosion Cat. 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage Cat. 1	H318	Causes serious eye damage.
Hazardous to the aquatic environment chronic Cat. 3	H412	Harmful to aquatic life with long lasting effects.

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P260	Do not breathe fumes, vapours or spray.
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective clothing as detailed in Section 8.

Response code	Response Statement
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P101	If medical advice is needed, have product container or label at hand.
P310	Immediately call a POISON CENTER or doctor/physician.
P363	Wash contaminated clothing before reuse.
P301 + P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Product Name: Multi Clean  
Date of SDS: 29 August 2023

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd  
Tel: 64 9 475 5240 www.techcomp.co.nz

- P303 + P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304 + P340 IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
- P305 + P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Storage Code**            **Storage Statement**  
P405                            Store locked up.

**Disposal Code**            **Disposal Statement**  
P501                            Refer to Section 13.

### Section 3: Composition/Information on Ingredients

Ingredients	Wt%	CAS NUMBER.
2 Butoxy Ethanol	1 - 5	111-76-2
Sodium Metasilicate	3 - 8	10213-79-3
Nonionic Surfactant	5 - 10	9016-45-9
Water	To bal	7732-18-5

### Section 4: First Aid Measures

Routes of Exposure:

If in Eyes                    If medical advice is needed, have product container or label at hand. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

If on Skin                    Take off contaminated clothing and wash before re-use. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician. If skin irritation occurs: Get medical advice/ attention.

If Swallowed                Rinse mouth. Do NOT induce vomiting. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Immediately call a POISON CENTER or doctor/physician if you feel unwell.

If Inhaled                    Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes difficult.

#### Most important symptoms and effects, both acute and delayed

Symptoms:                    Causes skin burns and eye damage.

### Section 5: Fire Fighting Measures

<b>Hazard Type</b>	Non Flammable
<b>Hazards from products</b>	Burning can produce Carbon Monoxide &/or Carbon Dioxide
<b>Suitable Extinguishing media</b>	Dry Powder, Carbon Dioxide, Foam
<b>Precautions for firefighters and special protective clothing</b>	Wear full protective gear.
<b>HAZCHEM CODE</b>	<b>2X</b>

## Section 6: Accidental Release Measures

Spillages will be slippery. If local regulations permit, mop up with plenty of water and run to waste, diluting with copious amounts of running water. Otherwise, absorb on inert medium, transfer to salvage containers and arrange removal by licensed disposal company. Wash site of spillage thoroughly with water. Ventilate area to dispel any residual vapor or odors.

## Section 7: Handling and Storage

### Handling:

- Read carefully and follow all instructions.
- Do not breathe fumes, vapours or spray.
- Wash hands thoroughly after handling.
- Avoid release to the environment.
- Wear protective clothing as detailed in Section 8.

### Storage:

- Store in a cool, dry, well ventilated place, out of the reach of children.
- Store locked up.
- Store in the original container tightly closed.
- Large quantities should be stored in a bunded area.
- Keep away from acids and oxidizing agents.
- Prevent vapours from collecting in low-lying or enclosed spaces.
- Protect from physical damage.

## Section 8: Exposure Controls / Personal Protection

### WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance	TWA		STEL	
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
2-Butoxyethanol (skin) [111-76-2]	25	121	-	-

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 13TH EDITION.

### Personal Protection Equipment



<b>Engineering Controls:</b>	Local ventilation
<b>Eye / Face Protection:</b>	Full face protection with side shields.
<b>Body Protection:</b>	PVC overall and protective gloves.
<b>Respiratory Protection:</b>	Not required.

## Section 9: Physical and Chemical Properties

<b>Appearance</b>	Liquid
<b>Colour</b>	Clear Red
<b>Odour</b>	Not available
<b>Odour Threshold</b>	Not available

pH	12 - 13
<b>Boiling Point</b>	Not available
<b>Melting Point</b>	Not available
<b>Freezing Point</b>	Not available
<b>Flash Point</b>	Not available
<b>Flammability</b>	Not available
<b>Upper and Lower Explosive Limits</b>	Not available
<b>Vapour Pressure</b>	Not available
<b>Vapour Density</b>	Not available
<b>Specific Gravity</b>	1.04
<b>Solubility in Water</b>	Complete
<b>Partition Coefficient:</b>	Not available
<b>Auto-ignition Temperature</b>	Not available
<b>Decomposition Temperature</b>	Not available
<b>Kinematic Viscosity</b>	Not available
<b>Particle Characteristics</b>	Not applicable
<b>Evaporation Rate</b>	Not available

## Section 10: Stability and Reactivity

<b>Stability of the Substance:</b>	Stable under normal storage and use conditions.
<b>Conditions to avoid:</b>	Oxidising agents and acids
<b>Materials to avoid:</b>	Carbon dioxide/carbon monoxide
<b>Hazardous Decomposition Products:</b>	No data available.
<b>Conditions Contributing to Hazardous Polymerization</b>	Not known.

## Section 11: Toxicological Information

### Acute Effects:

<b>Swallowed</b>	Not applicable. REMARK: Ingestion of this chemical is the most common route of entry with subsequent corrosive injury of the gastrointestinal tract being the major concern rather than systemic absorption as for other toxins. Acute oral toxicity LD50 to rats is 1280 mg/kg as a 10% aqueous solution. (. Acute oral toxicity LD50 to mice is 2400 mg/kg as a 10% aqueous solution.
<b>Dermal</b>	Not applicable. LD50 = 1350mg/kg (rabbit)
<b>Inhalation</b>	Not applicable. LC50 = 2.21 mg/l (rat)
<b>Eye</b>	Causes serious eye damage.
<b>Skin</b>	Causes skin burns.

### Chronic Effects:

<b>Carcinogenicity</b>	Not applicable.
<b>Reproductive Toxicity</b>	Not applicable.
<b>Germ Cell Mutagenicity</b>	Not applicable.
<b>Aspiration</b>	Not applicable.
<b>STOT/SE</b>	Not applicable.
<b>STOT/RE</b>	Not applicable.

## Section 12: Ecotoxicological Information

Harmful to aquatic life with long lasting effects

<b>Persistence and degradability</b>	No data available
<b>Bioaccumulation</b>	No
<b>Mobility in Soil</b>	No data available
<b>Other adverse effects</b>	No data available

**Ecological Toxicity:** SPECIES: Oncorhynchus mykiss (Fish, fresh water)  
TYPE OF EXPOSURE: Static  
DURATION: 96 hr  
ENDPOINT: LC50  
VALUE: 45.4 mg/l

Do not allow to enter waterways.

### Section 13: Disposal Considerations

Disposal Method: Triple rinse and dispose of according to Local Regulations.

Precautions: Do not allow to enter waterways.

### Section 14: Transport Information

This product is classified as a **Dangerous Good for transport in NZ ; NZS 5433:2020**



#### Road, Rail, Sea and Air Transport

UN No	3266
Class - Primary	8
Packing Group	III
Proper Shipping Name	<b>CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.</b>
Marine Pollutant	No
Special Provisions	If the product's individual container is below 5L, it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.

### Section 15: Regulatory Information

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval Code: Cleaning Products (Corrosive) – HSR002526

HSW (HS) Regulations 2017 and EPA Notices	Trigger Quantity
Certified Handler	Not required
Location Certificate	250L
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	250L
Emergency Response Plan	1000L
Secondary Containment	1000L
Restriction of Use	None known

### Section 16: Other Information

Product Name: Multi Clean  
Date of SDS: 29 August 2023

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd  
Tel: 64 9 475 5240 www.techcomp.co.nz

## Glossary

Cat	Category
EC <sub>50</sub>	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
HSW	Health and Safety at Work.
LC <sub>50</sub>	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD <sub>50</sub>	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

### References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices April 2022 edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2020
5. HSW (Hazardous Substances) Regulations 2017

### Disclaimer

Marketing Chemicals Ltd has taken care in compiling this information. No liability is accepted directly or indirectly from its application as conditions of use are outside the Company's control. End users are obliged to conform to relevant Local Government regulations.

For General Information : Marketing Chemicals Ltd,

Phone: +64 (09) 634 3862 / +64 (0)27 473 6008

Fax : +64 (09) 634 3864

Issue Date: 29 August 2023      Review Date: 29 August 2028