SAFETY DATA SHEET

SECTION 1: Identification

1.1 GHS Product identifier

Product name Nilium Water Soluble Deodorizer - Red Clover Tea ESG NZ

1.3 Recommended use of the chemical and restrictions on use

Water Soluble Deodorizer; dilute according to product label for use as a multipurpose deordoizer

1.4 Supplier's details

Name Hospeco Brands Group

Address

Cleveland OH 44143

Telephone 800-321-9832 Fax 800-362-0073

email www.hospecobrands.com

National contact

Name ESG Asia Pacific NZ Address 61 Seaview Road

5040 Lower Hutt Wellington

New Zealand

Telephone +64 4568 4126

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

GHS classification in accordance with: OSHA (29 CFR 1910.1200)

- Eye damage/irritation, Cat. 1
- Skin corrosion/irritation, Cat. 3
- Sensitization, skin, Cat. 1
- Specific target organ toxicity (single exposure), Cat. 2
- Toxic to reproduction, Cat. 1

2.2 GHS label elements, including precautionary statements

Pictogram



SAFETY DATA SHEET

Signal word	Danger
-------------	--------

Hazard statement(s)

May cause an allergic skin reaction H317 H318 Causes serious eye damage

May cause damage to organs [organs, route] H371

Precautionary statement(s)

P260 Do not breathe dust/fume/gas/mist/vapors/spray. P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace. P272

Wear eye protection/face protection/protective gloves. P280

IF ON SKIN: Wash with plenty of water/... P302+P352

IF IN EYES: Rinse cautiously with water for several minutes. Remove P305+P351+P338

contact lenses if present and easy to do. Continue rinsing.

IF exposed or concerned: Call a POISON CENTER/doctor/... P308+P311

P310 Immediately call a POISON CENTER/doctor/... P321 Specific treatment (see ... on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container to ...

SECTION 3: Composition/information on ingredients

3.2 **Mixtures**

Hazardous components	
Component	Concentration
Water (CAS no.: 7732-18-5; EC no.: 231-791-2)	> 90 - < 95 % (weight)
CLASSIFICATIONS: No data available. HAZARDS: No data available.	
Nonionic Surfactant*	> 2 - < 4 % (weight)
CLASSIFICATIONS: Acute toxicity, oral, Cat. 4; Eye damage/irritation, serious eye damage.	, Cat. 1. HAZARDS: H302 - Harmful if swallowed; H318 - Causes
Sodium Xylenesulfonate*	> 1 - < 3 % (weight)
CLASSIFICATIONS: Eye damage/irritation, Cat. 2A; Skin corrosion/irri	itation, Cat. 2. HAZARDS: H315 - Causes skin irritation; H319 -
Causes serious eye irritation.	
Denatured Alcohol*	> 0.5 - < 2 % (weight)
CLASSIFICATIONS: Eye damage/irritation, Cat. 2A; Flammable liquid HAZARDS: H225 - Highly flammable liquid and vapor; H319 - Causes route].	
PEG-400*	> 0 - < 0.5 % (weight)
CLASSIFICATIONS: No data available. HAZARDS: No data available.	
Fragrance*	> 0 - < 0.5 % (weight)
CLASSIFICATIONS: Acute toxicity, inhalation, Cat. 5; Acute toxicity, o	

(chronic), Cat. 2; Eye damage/irritation, Cat. 2A; Skin corrosion/irritation, Cat. 2; Sensitization, skin, Cat. 1A; Toxic to reproduction, Cat. 1B. HAZARDS: H303 - May be harmful if swallowed: H315 - Causes skin irritation: H317 - May cause an allergic skin reaction: H319 - Causes serious eye irritation; H333 - May be harmful if inhaled; H360 - May damage fertility or the unborn child [effect, route]; H411 - Toxic to aquatic life with long lasting effects.

Preservative*

CLASSIFICATIONS: Skin corrosion/irritation, Cat. 1B; Sensitization, skin, Cat. 1. HAZARDS: H314 - Causes severe skin burns and eye damage; H317 - May cause an allergic skin reaction.

Odor Counteractant* > 0 - < 0.1 % (weight)

CLASSIFICATIONS: Acute toxicity, oral, Cat. 4; Eye damage/irritation, Cat. 1; Skin corrosion/irritation, Cat. 1; Sensitization, skin, Cat. 1; Specific target organ toxicity (single exposure), Cat. 2. HAZARDS: H302 - Harmful if swallowed; H314 - Causes severe skin burns and eye damage; H317 - May cause an allergic skin reaction; H318 - Causes serious eye damage; H361 - Suspected of damaging fertility or the unborn child [effect, route].

Citric Acid*

> 0 - < 0.1 % (weight)

CLASSIFICATIONS: Eye damage/irritation, Cat. 2A. HAZARDS: H319 - Causes serious eye irritation; H335 - May cause respiratory irritation.

Trade secret statement (OSHA 1910.1200(i))

*The specific chemical identities and/or actual concentrations or actual concentration ranges for one or more listed components are being withheld as trade secrets under the US regulation 29 CFR 1910.1200(i).

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled If symptomatic, move to fresh air. If not breathing, give artificial respiration.

Do NOT use mouth-to-mouth resuscitation. If symptoms persist, obtain

medical attention immediately.

In case of skin contact Wash off immediately with plenty of water for at least 15 minutes. Take off

contaminated clothing. Wash with soap and water. Do not apply any medicated agents except on the advice from a physician. Get medical

attention if necessary.

In case of eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Do not apply any medicated agents except on the advice from a

physician. Seek immediate medical attention/advice.

If swallowed Do not induce vomiting without medical advice. Drink 2-3 large glasses of

water. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person. To ensure airway is open, position with head lower than body and transport immediately to a medical

facility.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Dry powder. Foam. Carbon dioxide (CO2).

5.2 Specific hazards arising from the chemical

Ethanol: Carbon oxides

Reaction mass of: 5-Chloro-2-methyl4- isothiazolin-3-one and 2-Methyl-2H-isothiazol-3-one (3:1): Carbon oxide. Nitrogen oxides.

5.3 Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Prevent human exposure to fire, fumes, smoke and products of combustion. Evacuate non-essential personnel.

Version: 1.0, Date of issue: 2024-05-01, p. 3 of 9

SAFETY DATA SHEET

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear chemical safety glasses with side shields or chemical goggles and heavy rubber gloves.

6.2 Environmental precautions

Prevent product from entering drains or open waters. See Section 12 for additional Ecological Information.

6.3 Methods and materials for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Cover and contain spill with an absorbent material such as pet litter, sand or vermiculite. Sweep up and shovel into suitable containers for disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Do not eat, drink, or smoke when handling this product. Avoid contact with skin, eyes or clothing. Avoid breathing dusts. Avoid breathing vapors or mists. Use personal protection recommended in Section 8. Wash thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from excessive heat. Keep from freezing. Store only in approved containers.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. Ethyl alcohol (Ethanol) (CAS: 64-17-5)

PEL (Inhalation): 1900 mg/m3 (OSHA) OSHA Annotated Table Z-1, www.osha.gov

REL (Inhalation): 1000 ppm (NIOSH)

OSHA Annotated Table Z-1, www.osha.gov

TLV® (Inhalation): (ST) 1000 ppm; USA (ACGIH) OSHA Annotated Table Z-1, www.osha.gov

2. Ethanol (CAS: 64-17-5)

PEL (Inhalation): 1000 ppm (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 1000 ppm (Cal/OSHA) OSHA Annotated Table Z-1, www.osha.gov

8.2 Appropriate engineering controls

Apply technical measures to comply with the occupational exposure limits. Ventilation systems. Eyewash stations. Showers.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Use approved eye protection to avoid eye contact.

Version: 1.0, Date of issue: 2024-05-01, p. 4 of 9

SAFETY DATA SHEET

Skin protection

Chemical resistant protective gloves when handling large quantities.

Respiratory protection

Where there is a potential for airborne exposures, wear NIOSH approved respiratory protection.

SECTION 9: Physical and chemical properties and safety characteristics

Basic physical and chemical properties

Appearance Light red/pink clear liquid

Odor Fruity

Odor threshold

Melting point/freezing point

Boiling point or initial boiling point and boiling range
Flammability

No data available
No data available
Not Flammable
Not Flammable

Lower and upper explosion limit/flammability limit

No data available

Flash point >205PMCC
Explosive properties No data available

Auto-ignition temperature

Decomposition temperature

Oxidizing properties

No data available

No data available

No data available

Oxidizing properties

No data available

6.0-8.0

Kinematic viscosity

Kinematic viscosity

Solubility

Partition coefficient n-octanol/water (log value)

Vapor pressure

Evaporation rate

As water

Water Soluble

No data available

No data available

No data available

Density and/or relative density 1.00-1.02

Relative vapor density

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not reactive under normal conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to avoid

Excessive heat.

10.5 Incompatible materials

Sodium xylenesulfonate: Strong oxidizing agents

Ethanol: Alkali metals, Oxidizing agents, Peroxides

Citric acid: Oxidizing agents, Bases, Reducing agents, Nitrates

10.6 Hazardous decomposition products

Water: In the event of fire: see section 5

Sodium xylenesulfonate: Other decomposition products - no data available

In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

```
// ----- From the Suggestion report (10/07/2022, 9:12 AM) ----- // The ATE (oral) of the mixture is: 3333.33 mg/kg bw
```

Ethanol: ACGIH: A3 Confirmed animal carcinogen with unknown relevance to humans.

// ----- From the Suggestion report (06/01/2023, 9:50 AM) ----- // The ATE (oral) of the mixture is: 3205.13 mg/kg bw

Skin corrosion/irritation

Avoid contact with skin.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitization

Not expected to trigger a sensitized reaction.

Carcinogenicity

Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

SECTION 12: Ecological information

Persistence and degradability

Biodegradable

SECTION 13: Disposal considerations

Disposal methods

Version: 1.0, Date of issue: 2024-05-01, p. 6 of 9

Product disposal

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Packaging disposal

Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 311/312 Hazards

Flammable (gases, aerosols, liquid, or solids) Skin corrosion or irritation Serious eye damage or eye irritation

SARA 313 Components

1222-05-5 214-946-9 10 - 20% Hexamethylindanopyran

Massachusetts Right To Know Components

Chemical name: Ethanol CAS number: 64-17-5

Massachusetts Right To Know Components

Acetic acid, pentyl ester, CAS 628 63 7 Benzene, CAS 71 43 2 D Limonene

New Jersey Right To Know Components

Water

CAS-No. 7732-18-5

New Jersey Right To Know Components

Sodium xylenesulphonate CAS-No. 1300-72-7

Version: 1.0, Date of issue: 2024-05-01, p. 7 of 9

SAFETY DATA SHEET

New Jersey Right To Know Components

Common name: ETHYL ALCOHOL

CAS number: 64-17-5

New Jersey Right To Know Components

Citric acid CAS-No. 77-92-9

New Jersey Right To Know Components

Benzoic acid, 2 hydroxy --, methyl ester, CAS n umber: 119 36 8 Eucalyptus globulus, CAS No. 84625 32 1 D Limonene

Pennsylvania Right To Know Components

Water CAS-No. 7732-18-5

Pennsylvania Right To Know Components

Sodium xylenesulphonate CAS-No. 1300-72-7

Pennsylvania Right To Know Components

Chemical name: Ethanol CAS number: 64-17-5

Pennsylvania Right To Know Components

Citric acid CAS-No. 77-92-9

Pennsylvania Right To Know Components

Eucalyptus globulus, CAS No. 84625 32 1
D Limonene
Acetic acid, pentyl ester, CAS 628 63 7
Benzene, CAS 71 43 2
1 Butan ol, 2 methyl --, 1 acetate, CAS 624 41 9
Methyl Salicylate, CAS 119 36 8
p Cymene, CAS 99 87 6
alpha Pinene, CAS 80 56 8
Benzoic acid, 2 hydroxy --, methyl ester, CAS number: 119 36 8

Canadian Domestic Substances List (DSL)

All components are listed on the Canadian DSL

Toxic Substances Control Act (TSCA) Inventory

All substances listed as active on the TSCA inventory

California Prop. 65 Components

Version: 1.0, Date of issue: 2024-05-01, p. 8 of 9

WARNING! This product contains a chemical known to the State of California to cause cancer. CAS-No. 64-17-5: Ethanol

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

CAS-No. 64-17-5: Ethanol

California Prop. 65 Components

WARNING: This product can expose you to chemicals including Benzene, which is/are known to the State of Cal ifornia to cause cancer and birth defects or other reproductive harm. For more information to og www.P64Warnings.ca.gov.

HMIS Rating



NFPA Rating



SECTION 16: Other information

This Safety Data Sheet is offered solely for your information, consideration and investigation. There are no warranties, either expressed or implied and no responsibility is assumed for the accuracy or completeness of the data contained herein.