SAFETY DATA SHEET

SECTION 1: Identification

1.1 GHS Product identifier

Product name Nilium Water Soluble Deorodizer - Cucumber Melon ESG NZ

1.4 Supplier's details

Name HOSPECO

Address 10966 Industrial Parkway

Bolivar OH 44612

Telephone 330-874-1017

National contact

Name ESG Asia Pacific NZ Address 61 Seaview Road

5040 Lower Hutt Wellington

New Zealand

Telephone +64 4568 4126

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

GHS classification in accordance with: OSHA (29 CFR 1910.1200)

- Eye damage/irritation, Cat. 1
- Skin corrosion/irritation, Cat. 2
- Sensitization, skin, Cat. 1
- Specific target organ toxicity (single exposure), Cat. 2
- Toxic to reproduction, Cat. 2

2.2 GHS label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H315 Causes skin irritation

SAFETY DATA SHEET

H317 May cause an allergic skin reaction
H318 Causes serious eye damage

H361 Suspected of damaging fertility or the unborn child [effect, route]

H371 May cause damage to organs [organs, route]

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water/...

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses if present and easy to do. Continue rinsing. IF exposed or concerned: Call a POISON CENTER/doctor/...

P308+P313 IF exposed or concerned: Get medical advice/attention.
P310 Immediately call a POISON CENTER/doctor/...

P321 Specific treatment (see ... on this label).

P332+P313 If skin irritation occurs: Get medical advice/attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container to ...

SECTION 3: Composition/information on ingredients

CLASSIFICATIONS: No data available. HAZARDS: No data available.

3.2 Mixtures

PFG-400*

P308+P311

Hazardous components

nazardous components	
Component	Concentration
Water (CAS no.: 7732-18-5; EC no.: 231-791-2)	> 75 - < 85 % (weight)
CLASSIFICATIONS: No data available. HAZARDS: No data available.	
Nonionic Surfactant*	> 8 - < 13 % (weight)
CLASSIFICATIONS: Acute toxicity, oral, Cat. 4; Eye damage/irritation, Cat. 1. HAZ/ serious eye damage.	ARDS: H302 - Harmful if swallowed; H318 - Causes
Sodium Xylenesulfonate*	> 2 - < 6 % (weight)
CLASSIFICATIONS: Eye damage/irritation, Cat. 2A; Skin corrosion/irritation, Cat. 2	. HAZARDS: H315 - Causes skin irritation; H319 -
Causes serious eye irritation.	
Fragrance*	> 2 - 5 % (weight)
CLASSIFICATIONS: Acute toxicity, dermal, Cat. 5; Acute toxicity, oral, Cat. 5; Haza Cat. 2; Skin corrosion/irritation, Cat. 2; Sensitization, skin, Cat. 1B; Toxic to reprodu swallowed; H313 - May be harmful in contact with skin; H315 - Causes skin irritation Suspected of damaging fertility or the unborn child [effect, route]; H411 - Toxic to ac	ıction, Cat. 2. HAZARDS: H303 - May be harmful if n; H317 - May cause an allergic skin reaction; H361 -
Denatured Alcohol*	> 0 - < 2 % (weight)
CLASSIFICATIONS: Eye damage/irritation, Cat. 2A; Flammable liquids, Cat. 2; Spe HAZARDS: H225 - Highly flammable liquid and vapor; H319 - Causes serious eye i route].	
Odor Counteractant*	> 0 - < 1 % (weight)
CLASSIFICATIONS: Eye damage/irritation, Cat. 2A; Skin corrosion/irritation, Cat. 2 skin irritation; H317 - May cause an allergic skin reaction; H319 - Causes serious ey	· · · · · · · · · · · · · · · · · · ·

0.5 % (weight)

SAFETY DATA SHEET

Preservative* > 0 - < 0.1 % (weight)

CLASSIFICATIONS: Skin corrosion/irritation, Cat. 1B; Sensitization, skin, Cat. 1. HAZARDS: H314 - Causes severe skin burns and eye damage; H317 - May cause an allergic skin reaction.

Trade secret statement (OSHA 1910.1200(i))

*The specific chemical identities and/or actual concentrations or actual concentration ranges for one or more listed components are being withheld as trade secrets under the US regulation 29 CFR 1910.1200(i).

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If symptomatic, move to fresh air, If not breathing, give artificial respiration.

Do NOT use mouth-to-mouth resuscitation. If symptoms persist, obtain

medical attention immediately.

In case of skin contact Wash off immediately with plenty of water for at least 15 minutes. Take off

contaminated clothing. Wash with soap and water. Do not apply any medicated agents except on the advice from a physician. Get medical

attention if necessary.

In case of eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Do not apply any medicated agents except on the advice from a

physician. Seek immediate medical attention/advice.

If swallowed Do not induce vomiting without medical advice. Drink 2-3 large glasses of

water. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person. To ensure airway is open, position with head lower than body and transport immediately to a medical

facility.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Dry powder. Foam. Carbon dioxide (CO2).

5.2 Specific hazards arising from the chemical

Ethanol: Carbon oxides

Reaction mass of: 5-Chloro-2-methyl4- isothiazolin-3-one and 2-Methyl-2H-isothiazol-3-one (3:1): Carbon oxide. Nitrogen oxides.

5.3 Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Prevent human exposure to fire, fumes, smoke and products of combustion. Evacuate non-essential personnel.

SECTION 6: Accidental release measures

Version: 1.0, Date of issue: 2024-05-01, p. 3 of 8

SAFETY DATA SHEET

6.1 Personal precautions, protective equipment and emergency procedures

Wear chemical safety glasses with side shields or chemical goggles and heavy rubber gloves.

6.2 Environmental precautions

Prevent product from entering drains or open waters. See Section 12 for additional Ecological Information.

6.3 Methods and materials for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Cover and contain spill with an absorbent material such as pet litter, sand or vermiculite. Sweep up and shovel into suitable containers for disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Do not eat, drink, or smoke when handling this product. Avoid contact with skin, eyes or clothing. Avoid breathing dusts. Avoid breathing vapors or mists. Use personal protection recommended in Section 8. Wash thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from excessive heat. Keep from freezing. Store only in approved containers.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. Ethyl alcohol (Ethanol) (CAS: 64-17-5)

PEL (Inhalation): 1900 mg/m3 (OSHA) OSHA Annotated Table Z-1, www.osha.gov

REL (Inhalation): 1000 ppm (NIOSH)

OSHA Annotated Table Z-1, www.osha.gov

TLV® (Inhalation): (ST) 1000 ppm; USA (ACGIH) OSHA Annotated Table Z-1, www.osha.gov

2. Ethanol (CAS: 64-17-5)

PEL (Inhalation): 1000 ppm (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 1000 ppm (Cal/OSHA) OSHA Annotated Table Z-1, www.osha.gov

8.2 Appropriate engineering controls

Apply technical measures to comply with the occupational exposure limits. Ventilation systems. Eyewash stations. Showers.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Use approved eye protection to avoid eye contact.

Skin protection

Version: 1.0, Date of issue: 2024-05-01, p. 4 of 8

6.0 - 8.0

SAFETY DATA SHEET

Chemical resistant protective gloves when handling large quantities.

Respiratory protection

Where there is a potential for airborne exposures, wear NIOSH approved respiratory protection.

SECTION 9: Physical and chemical properties and safety characteristics

Basic physical and chemical properties

Appearance Light green clear liquid

Color Green

Odor Cucumber Melon
Odor threshold No data available

Melting point/freezing point

Boiling point or initial boiling point and boiling range

No data available

No data available

Flammability

Not Flammable
Lower and upper explosion limit/flammability limit

No data available

Lower and upper explosion limit/flammability limit

No data available >205PMCC

Explosive properties
Auto-ignition temperature
Decomposition temperature
No data available
No data available
No data available

Oxidizing properties No data available

Kinematic viscosity

Solubility

Partition coefficient n-octanol/water (log value)

Vapor pressure

As water

Water Soluble

No data available

No data available

Vapor pressure

Evaporation rate

Density and/or relative density

No data available

No data available

No data available

1.00-1.02

Density and/or relative density

1.00-1.02

Relative vapor density

No data available

Particle characteristics

No data available

Supplemental information regarding physical hazard classes

No data available

Further safety characteristics (supplemental)

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

рH

Not reactive under normal conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

None under normal processing.

Version: 1.0, Date of issue: 2024-05-01, p. 5 of 8

SAFETY DATA SHEET

10.4 Conditions to avoid

Excessive heat.

10.5 Incompatible materials

Sodium xylenesulfonate: Strong oxidizing agents

Ethanol: Alkali metals, Oxidizing agents, Peroxides

Citric acid: Oxidizing agents, Bases, Reducing agents, Nitrates

RM00331: Strong oxidizing agents, or contamination with strong acids or alkalis

10.6 Hazardous decomposition products

Water: In the event of fire: see section 5

Sodium xylenesulfonate: Other decomposition products - no data available

In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

Ethanol: ACGIH: A3 Confirmed animal carcinogen with unknown relevance to humans.

// ----- From the Suggestion report (05/31/2023, 3:16 PM) ----- // The ATE (oral) of the mixture is: 3571.43 mg/kg bw

Skin corrosion/irritation

Avoid contact with skin.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitization

Not expected to trigger a sensitized reaction.

Carcinogenicity

Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Version: 1.0, Date of issue: 2024-05-01, p. 6 of 8

SAFETY DATA SHEET

SECTION 12: Ecological information

Persistence and degradability

Biodegradable

SECTION 13: Disposal considerations

Disposal methods

Product disposal

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Packaging disposal

Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

No SARA Hazards

Pennsylvania Right To Know Components

Sodium xylenesulphonate CAS-No. 1300-72-7

New Jersey Right To Know Components

Sodium xylenesulphonate CAS-No. 1300-72-7

Version: 1.0, Date of issue: 2024-05-01, p. 7 of 8

SAFETY DATA SHEET

New Jersey Right To Know Components

Common name: ETHYL ALCOHOL

CAS number: 64-17-5

Pennsylvania Right To Know Components

Chemical name: Ethanol CAS number: 64-17-5

Massachusetts Right To Know Components

Chemical name: Ethanol CAS number: 64-17-5

HMIS Rating



NFPA Rating



SECTION 16: Other information

This Safety Data Sheet is offered solely for your information, consideration and investigation. There are no warranties, either expressed or implied and no responsibility is assumed for the accuracy or completeness of the data contained herein.